



WEBBING: Heavy Weight Polypropylene

DESCRIPTION

- Available in 1", 2"" widths
- Sold 100yards/roll

Heavy Weight Polypropylene webbing is a soft, flexible fabric of woven fibers. Made from thermoplastic resins, this versatile material is perfect for outdoor use due to its UV resistance and waterproof fibers. Polypropylene webbing won't stretch like Nylon webbing can, and is more resistant to acid, alkaline, oil and grease. Industries commonly used: Awning, Tenting & Structure, Marine.

Tensile strength is the average breaking point under good conditions at the factory. We recommend that you use no more that 50% of the tensile strength of any webbing.

SPECIFICATIONS

Material	Polypropylene
Average Thickness	0.065
Tensile Strength (5/8 inch (in))	450 lb
Tensile Strength (1 1/2 inch (in))	1,150 lb
Tensile Strength (3 inch (in))	2,350 lb
Tensile Strength (4 inch (in))	2,600 lb
Quantity	100 Yards/Roll
Tensile Strength (1 inch (in))	750 lb
Tensile Strength (2 inch (in))	1,550 lb
Tensile Strength (3/4 inch (in))	550 lb

Sales@KederSolutions.com

888.727.7050 | Fax 888.727.7060

www.KederSolutions.com



Warning:

California Residents
Cancer and Reproductive Harm.
www.P65Warnings.ca.gov.